

Adaptive-network models of swarm dynamics

Cristián Huepe¹, Gerd Zschaler², Anne-Ly Do² and Thilo Gross²

¹614 N. Paulina Street, Chicago IL 60622-6062, USA

²Max-Planck-Institut für Physik komplexer Systeme, Nöthnitzer Str. 38, 01187 Dresden, Germany

E-mail: cristian@northwestern.edu

Abstract. We propose a simple adaptive-network model describing recent swarming experiments. Exploiting an analogy with human decision making, we capture the dynamics of the model by a low-dimensional system of equations permitting analytical investigation. We find that the model reproduces several characteristic features of swarms, including spontaneous symmetry breaking, noise- and density-driven order-disorder transitions that can be of first or second order, and intermittency. Reproducing these experimental observations using a non-spatial model suggests that spatial geometry may have a lesser impact on collective motion than previously thought.

PACS numbers: 87.10.-e, 64.60.Cn, 64.60.aq

Submitted to: *New J. Phys.*

1. Introduction

“More is different,” a central observation in complex systems research is in few areas as evident as in collective decision making. Recent studies on groups of self-propelled agents, such as bird flocks, fish schools, insect swarms, or herds of quadrupeds show that these can often make better choices in groups than individually [1–3]. Effective collective action, which has given rise to the popular notion of *swarm intelligence*, appears to follow from universal organizing principles [4]. The ease and elegance with which, e.g., a school of fish finds its way and avoids predators, can be even more appreciated if one compares it for instance to political decision making in humans.

It is interesting to note that, although regarded as collective decision-making processes, swarming behaviour and collective motion are modelled differently from decision making in human populations. Theoretical studies of collective motion have mostly focused on agent-based simulations of self-propelled particles [5–10] and fluid-like models that treat them as continuous media [11, 12]. By contrast, studies of decision making and opinion formation in social systems typically represent the system as a network, emphasizing the discrete nature of interactions [13–15]. One of the reasons for this difference in modelling approaches is that for swarm systems, spatial embedding is assumed to be of central importance, whereas social interactions are felt to be less constrained by physical space. Furthermore, in collective motion, it cannot be neglected that an agent’s decision to move in a certain direction determines the agents with whom it will be interacting next. However, a similar feedback of individual decisions on future interaction partners was also studied in recent works on opinion formation [16–23]. The resulting models incorporate both an opinion formation process on the network and a dynamic update of the network topology and thus fall into the class of adaptive networks [24, 25].

In the present article, we propose a non-spatial adaptive-network (AN) model of swarming behaviour. Reproducing characteristic observations for swarm systems, we find that spatial geometry might play a less central role than has been assumed. Our approach highlights the analogy between swarming and social consensus, thus building a bridge between two areas of research that have been so far considered separately.

2. Adaptive-network model for a swarming experiment

We focus on the swarming experiments by Buhl et al. [26]. In their set-up, groups of 5 to 120 locusts were placed in a ring-shaped arena and left to march freely for 8 hours while a digital camera captured their positions and orientations. At low insect number, no ordered collective motion arises; the system displays no clear clockwise or counter-clockwise flow of locusts around the arena. At intermediate insect numbers, locusts start aligning, generating long periods of collective rotational motion during which most agents are marching in the same direction. These periods of coherent motion are interrupted by rapid spontaneous changes in their collective heading direction. Finally, at high insect number this spontaneous direction switching is no longer observed and agents rapidly adopt a common and persistent marching direction, either clockwise or counter-clockwise. Buhl et al. reproduced these experimental results qualitatively in simulations using a one-dimensional agent-based model of self-propelled particles, also investigating the effect of inherent noise in a subsequent study [26, 27].

Here, we model this experiment using a different approach, trying to address the mechanism leading to the observed collective dynamics with the help of a simple low-dimensional description that lends itself to analytical treatment. To that end, we consider

the system of interacting agents as a complex network. Each node represents an insect, and nodes are linked if the corresponding locusts are mutually aware of each other through any interaction mechanism. As in [26], we distinguish only two directions of motion: every node can be in an R or L state, representing an agent that marches clockwise (a *right-goer*) or counter-clockwise (a *left-goer*), respectively. We refer below to pairs of nodes (agents) in the same state as *equal-goers* and to those in different states as *opposite-goers*.

The proposed model only takes into account the agents' headings and contact network while neglecting all other information, including insect positions. The evolution of the network is modelled by a set of stochastic processes. As locusts advance in the experimental system, non-interacting opposite-goers eventually meet and start sensing each other. We model this by randomly introducing R-L links at a rate of a_o per node. In addition, interacting opposite-goers will eventually lose contact, which is modelled by the random deletion of R-L links at a rate of d_o per link. Likewise, equal-goers can start or stop interacting as they approach or separate from each other due to marching speed differences or lateral displacements. This is represented by also introducing for equal-goers the attachment rate per node a_e and deletion rate per link d_e . Using these conventions, all rates are defined as intensive quantities. The state dynamics of each node is given by a stochastic process that depends on its topological neighbours. We assume that each node switches direction with probability w_2 for every R-L link it has to an opposite-goer. To account for non-linear three-agent interactions, we introduce an additional probability w_3 of the central node switching direction for every L-R-L and R-L-R chain. Finally, noise is represented by a constant probability q of an agent spontaneously switching direction.

3. Analytical description

In order to study the collective dynamics of the AN model, we define convenient observables, the so-called *moments*, given by the densities of various subgraphs in the network [28, 29]. Each subgraph can be classified by its order, i.e. the number of links it contains. Zeroth order moments are given by the right- and left-goer densities ($[R]$ and $[L]$, respectively). First order moments are the per-capita densities of R-R, R-L, and L-L links ($[RR]$, $[RL]$, and $[LL]$). Second order moments correspond to the densities of A-B-C triplets $[ABC]$, with $A, B, C \in \{R, L\}$. The moment dynamics is captured by balance equations containing the variables of interest together with densities of larger subgraphs.

The zeroth-moment equations are

$$\frac{d}{dt}[R] = q([L] - [R]) + w_3([RLR] - [LRL]), \quad (1)$$

and the symmetric expression for $[L]$, obtained by interchanging R and L . The first-moment equations are

$$\begin{aligned} \frac{d}{dt}[RR] &= q([LR] - 2[RR]) + w_2([LR] + 2[RLR] - [RRL]) \\ &+ w_3(2[RLR] + 3[^R L_R^R] - [^R R_L^L]) + a_e[R]^2 - d_e[RR], \end{aligned} \quad (2)$$

and the symmetric expression for $[LL]$. Here we use $[^A B_D^C]$ to denote the density of third-order motifs with a central node in state $B \in \{L, R\}$ linked to three nodes in states $A, C, D \in \{L, R\}$. Finally, rather than writing an equation for $[LR]$, we note that the *total* first-moment link dynamics depends only on the link creation and deletion processes through

$$\begin{aligned} \frac{d}{dt}([LR] + [RR] + [LL]) &= a_o[L][R] - d_o[LR] + \\ a_e([R]^2 + [L]^2) - d_e([LL] + [RR]). \end{aligned} \quad (3)$$




Figure 1. Top: Bifurcation diagram of the density of right-goers $[R]$ vs. link creation rate a_o . Solutions of the ODE system of Eqs. (1)-(3) (solid line) yield a supercritical pitchfork bifurcation in excellent agreement with results from numerical network simulations (circles). Bottom: Phase diagram showing the bifurcation point as a function of the link creation rates a_o and a_e . In the bistable region (grey), the pitchfork bifurcation becomes subcritical. Parameters: $N = 10^4$ nodes, $d_o = 0.25$, $d_e = 0.1$, $w_2 = w_3 = 0.2$, $q = 0.1$, and (top only) $a_e = 0.2$.

The ODE system (1)–(3) can now be closed using a *pair-approximation* [28–30], where triplets and quadruplets are given by

$$[RLR] = \kappa \frac{[LR]^2}{2[L]}, \quad [RRL] = 2\kappa \frac{[LR][RR]}{[R]}, \quad (4)$$

$$[R^R L^R] = \kappa^2 \frac{[LR]^3}{6[L]^2}, \quad [R^R R^L] = \kappa^2 \frac{[LR]^2 [RR]}{[R]^2}, \quad (5)$$

and symmetric expressions. The factor $\kappa = (\langle k^2 \rangle - \langle k \rangle) / \langle k \rangle^2$ relates the second and first moments of the degree distribution. Because our network dynamics will yield an unknown, randomly evolving topology, we use a random graph approximation, setting $\kappa = 1$ as in [18, 21, 28–30].

For $a_e = d_e = 0$, the stationary solutions of this ODE system decouple, with Eqs. (1) and (3) solved independently. We obtain analytically a mixed-phase solution branch ($[R] = [L] = 1/2$) that becomes unstable in a supercritical pitchfork bifurcation at $a_o^* = 2d_o \sqrt{2q / (\kappa w_3)}$, giving rise to the two collective-motion solution branches $[R]_{\pm} = (1/2) \pm \sqrt{1 - 8qd_o^2 / (\kappa w_3 a_o^2)} / 2$. For $a_e \neq 0$ and $d_e \neq 0$, the stationary solutions can be computed numerically by solving the corresponding system of algebraic equations. Here, we also find a supercritical pitchfork bifurcation for small a_e , as shown on figure 1 (top). But for higher values of a_e , the transition occurs through a subcritical pitchfork bifurcation (figure 2, right-column insets). This yields a bistable phase where ordered and disordered states coexist, highlighted in figure 1 (bottom).

We note that a supercritical pitchfork bifurcation, given by $[R]_{\pm} = (1/2) \pm \sqrt{1 - 4q/w_3} / 2$, could be already observed in a simpler approximation, in which the system is




Figure 2. Degree distributions of four different stationary solutions obtained through adaptive network simulations. The top (bottom) row shows cases in the disordered (ordered) phase, with insets displaying their location in the bifurcation diagram. The left (right) column shows cases with a supercritical (subcritical) pitchfork bifurcation. Different curves display the connectivity of left-goers (L), of right-goers (R), of left-goers only to left-goers (LL) or only to right-goers (LR), etc. Parameters: Same as in figure 1, except when noted on plots.

closed at the zeroth order. However, the pair approximation is more accurate when compared with stochastic simulations of the network. Moreover, it allows for the new class of subcritical solutions, which we discuss below.

4. Results

In figure 1 (top), we show that the ODE system solutions are in excellent agreement with individual-based stochastic simulations of the network dynamics. We verified that the small remaining discrepancy is due to the $\kappa = 1$ assumption, and not other factors such as finite-size effects.

We now compare the results of our AN model to the locust experiments in [26]. The bifurcation diagram in figure 1 uses the encounter rate between opposite-goers a_o as control parameter, which is proportional to the experimental agent density in the current framework. We can thus compare our results directly to the behaviour observed experimentally at different agent numbers. For a low association rate a_o , the network exhibits no order or symmetry breaking. This corresponds to the disordered mix of left- and right-goers showing no collective motion obtained in experiments at low insect number.

For high a_o , the system must be in one of the two solution branches, with a majority of nodes in either state (R or L). This is the ordered collective marching state found at high insect number [26]. A similar pitchfork bifurcation is also observed when using the noise intensity, q , instead of a_o as control parameter, as done in most previous numerical works [5, 6, 9].

Let us emphasize that the presence of this transition in the AN model implies that very few elements of the agent dynamics are required to obtain such swarming behaviour. In particular, we did not choose any specific interaction rule but only required that it drives agents to head in the same direction. By contrast, we find that three-body interaction processes are required to break the symmetry and obtain swarming solutions. Furthermore, a subcritical




Figure 3. Cumulative distribution of residence-times in a majority L or majority R state for the adaptive network dynamics at various values of a_o . As a_o is increased, the system becomes more ordered, switching direction less often, and the distribution becomes broader. For $a_o > 0.6$, a preferred residence time appears at large $\tau \sim 10^3$ due to finite-size effects. Insets show the density of right-goers $[R]$ vs. time for $a_o = 0.1$ (bottom-left) and $a_o = 1.0$ (top-centre). Parameters: Same as in figure 1 (top) but for 100 nodes.

bifurcation, giving rise to hysteresis or sudden polarisation, is only possible in the AN model if a_e and d_e are non-zero. This qualitative result could shed light on the current controversy over the order of the swarming transition [5, 6, 31–33]. Indeed, a first-order transition (stemming from the subcritical pitchfork bifurcation) is only possible here if groups of equal-goers can associate or dissociate while heading in the same direction. It would be very interesting to explore if a similar effect is present in agent-based simulations and experiments.

Figure 2 shows the degree distributions obtained in the ordered and disordered phases for supercritical and subcritical cases. Both display similar connectivities. In the disordered states (top), most agents have very few links to equal-goers and no links to opposite-goers. This is also observed in agent-based simulations and experiments [9, 26], where the disordered regime develops no large clusters and, therefore, small connectivity.

In the ordered (right-going) state (bottom), R-R links are strongly favoured. This corresponds to the formation of large right-going groups in the agent-based dynamics. The number of L-R links also increases, which corresponds to encounters between a few left-goers and these large right-going clusters. The typical number of all other links decreases.

In previous experiments and simulations it was observed that there is an intermittent regime where the swarm is polarised but can switch the marching direction spontaneously [26, 34]. This behaviour is also captured by the AN model. The intermittent regime occurs at intermediate densities, i.e. at a_o values close to the bifurcation, in the ordered phase, where a low nucleation barrier allows for stochastic switching between the two branches.

Figure 3 shows the cumulative distributions of residence times (lasting τ or longer) in which the network resides in a majority R state before switching to a majority L state or vice-versa. In the disordered phase, this distribution decays exponentially as expected, since it results from memory-less stochastic fluctuations about the stationary state. As a_o approaches its critical value, the distribution develops a long tail approximating a power law with exponent $-1/2$, providing evidence for a switching process with memory. We note

that a power-law distribution of switching times with the *same* exponent was observed in previous spatial models [9, 34]. The experimental locust dynamics also display intermittency at intermediate densities, but the available time series are not long enough to characterize its statistics [26].

For $a_o \geq 0.8$ finite-size effects produce a preferred residence time at large $\tau \sim 10^3$ that grows with the system size, appearing as a plateau in the cumulative distributions. This corresponds to the typical escape time from highly polarised states where the system gets trapped when system-wide connectivity is reached within the finite network.

5. Conclusions

In summary, we have proposed an adaptive-network model of a swarm experiment that captures much of its characteristic collective behaviour and likens it to an opinion-formation process. In particular, our model displays a transition from a disordered to an ordered phase with increasing insect density. Furthermore, an intermittent regime is observed close to the transition point, where a fat-tailed distribution of residence-times emerges.

We emphasize that in the proposed model, these characteristics of swarming systems are recovered without an explicit spatial representation of the system. This suggests that the spatial context of swarming may not be of central importance for many phenomena. By contrast, three-body processes and an increased probability of interaction between agents with intersecting trajectories are found to be essential in our model.

Further work is certainly necessary to test whether the experimentally observed transition is caused by the same mechanism that is at work in our non-spatial model. In order to improve our understanding of the role of spatial dynamics in swarms, detailed network- and agent-based simulations should therefore be compared. We postulate that the same dynamics will be followed by point-like agents, which are well described by the nodes in our model, but not by spatially extended agents, where jamming must play an important role.

In the present work, we used a modelling approach originally proposed for social networks. We believe that the analogies we have drawn between swarming phenomena and opinion formation processes could be fruitfully exploited in further studies, thus building a bridge between the two fields.

Acknowledgments

The work of CH was supported by National Science Foundation Grants DMS-0507745 and PHY-0848755.

References

- [1] Couzin I D, Krause J, Franks N R and Levin S A 2005 *Nature* **433** 513–516
- [2] Couzin I 2007 *Nature* **445** 715
- [3] Cucker F and Huepe C 2008 *Mathematics in Action* **1** 1–25
- [4] Bonabeau E, Dorigo M and Theraulaz G 1999 *Swarm Intelligence: From Natural to Artificial Systems* Santa Fe Institute Studies in the Sciences of Complexity (New York, NY: Oxford University Press)
- [5] Vicsek T, Czirók A, Ben-Jacob E, Cohen I and Shochet O 1995 *Phys. Rev. Lett.* **75** 1226–1229

- [6] Chaté H, Ginelli F, Grégoire G and Raynaud F 2008 *Phys. Rev. E* **77** 046113
- [7] Romanczuk P, Couzin I D and Schimansky-Geier L 2009 *Phys. Rev. Lett.* **102** 010602
- [8] Mach R and Schweitzer F 2007 *Bull. Math. Biol.* **69** 539–562
- [9] Huepe C and Aldana M 2008 *Physica A* **387** 2809–2822
- [10] Sumpter D, Buhl J, Biro D and Couzin I 2008 *Theory in Biosciences* **127** 177–186
- [11] Toner J and Tu Y 1998 *Phys. Rev. E* **58** 4828–4858
- [12] Topaz C M and Bertozzi A L 2004 *SIAM J. Appl. Math.* **65**
- [13] Holley R A and Liggett T M 1975 *Ann. Probab.* **3** 643–663
- [14] Liggett T M 1999 *Stochastic interacting systems: contact, voter, and exclusion processes* (Berlin: Springer) ISBN 3-540-65995-1
- [15] Sood V and Redner S 2005 *Phys. Rev. Lett.* **94** 178701
- [16] Holme P and Newman M E J 2006 *Phys. Rev. E* **74** 056108
- [17] Gil S and Zanette D 2006 *Phys. Lett. A* **356** 89–94
- [18] Vazquez F, Eguíluz V M and Miguel M S 2008 *Phys. Rev. Lett.* **100** 108702 (pages 4)
- [19] Nardini C, Kozma B and Barrat A 2008 *Phys. Rev. Lett.* **100** 158701
- [20] Benczik I J, Benczik S Z, Schmittmann B and Zia R K P 2008 *EPL* **82** 48006
- [21] Kimura D and Hayakawa Y 2008 *Phys. Rev. E* **78** 016103
- [22] Böhme G A and Gross T 2011 *Phys. Rev. E* **83** 035101(R)
- [23] Demirel G, Prizak R, Reddy P N and Gross T 2011 *Eur. Phys. J. B* 1–8
- [24] Gross T and Blasius B 2008 *J. R. Soc. Interface* **5** 259–271
- [25] Gross T and Sayama H (eds) 2009 *Adaptive Networks: Theory, Models and Applications* Understanding Complex Systems (Heidelberg: Springer)
- [26] Buhl J, Sumpter D J T, Couzin I D, Hale J J, Despland E, Miller E R and Simpson S J 2006 *Science* **312** 1402–1406
- [27] Yates C A, Erban R, Escudero C, Couzin I D, Buhl J, Kevrekidis I G, Maini P K and Sumpter D J T 2009 *Proc. Natl. Acad. Sci. U. S. A.* **106** 5464–5469
- [28] Keeling M J, Rand D A and Morris A J 1997 *Proc. R. Soc. B* **264** 1149–56
- [29] Gross T, D’Lima C J D and Blasius B 2006 *Phys. Rev. Lett.* **96** 208701
- [30] Zschaler G, Traulsen A and Gross T 2010 *New J. Phys.* **12** 093015
- [31] Nagy M, Daruka I and Vicsek T 2007 *Physica A* **373** 445–454
- [32] Aldana M, Dossetti V, Huepe C, Kenkre V M and Larralde H 2007 *Phys. Rev. Lett.* **98** 095702
- [33] Pimentel J A, Aldana M, Huepe C and Larralde H 2008 *Phys. Rev. E* **77** 061138
- [34] Huepe C and Aldana M 2004 *Phys. Rev. Lett.* **92** 168701